

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	"5822780".PN.	USPAT	OR	OFF	2003/02/28 09:37
S2	1	"5813005".PN.	USPAT	OR	OFF	2003/02/28 09:38
S3	1	"5625815".PN.	USPAT	OR	OFF	2003/02/28 09:39
S4	1	"5551027".PN.	USPAT	OR	OFF	2003/02/28 09:39
S5	1	"5548761".PN.	USPAT	OR	OFF	2003/02/28 09:40
S6	1	"5544313".PN.	USPAT	OR	OFF	2003/02/28 09:40
S7	1	"5544313".PN.	USPAT	OR	OFF	2003/02/28 09:41
S8	1	"5544313".PN.	USPAT	OR	OFF	2003/02/28 09:41
S9	1	"5524257".PN.	USPAT	OR	OFF	2003/02/28 09:41
S10	1	"5515531".PN.	USPAT	OR	OFF	2003/02/28 09:42
S11	1	"5504894".PN.	USPAT	OR	OFF	2003/02/28 09:42
S12	1	"5283897".PN.	USPAT	OR	OFF	2003/02/28 09:43
S13	135	(709/1).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2002/04/24 09:54
S14	15107	("709").CLAS.	US-PGPUB; USPAT; USOCR	OR	OFF	2002/04/23 10:08
S15	2089	virtual adj machine	US-PGPUB; USPAT	OR	ON	2002/04/16 13:29
S16	778	((("709"/\$).CCLS.) and (virtual adj machine )	US-PGPUB; USPAT	OR	ON	2002/04/16 13:29
S17	20	((("709"/\$).CCLS.) and (virtual adj machine )) and (predefined adj class)	US-PGPUB; USPAT	OR	ON	2002/04/16 13:30
S18	12	((("709"/\$).CCLS.) and (virtual adj machine )) and (get adj command)	US-PGPUB; USPAT	OR	ON	2002/04/16 13:54
S19	141	((("709"/\$).CCLS.) and (virtual adj machine )) and (memory adj management)	US-PGPUB; USPAT	OR	ON	2002/04/16 13:56
S20	91	((("709"/\$).CCLS.) and (virtual adj machine )) and (memory adj management)) and class	US-PGPUB; USPAT	OR	ON	2002/04/16 13:56
S21	0	"l91" and http	US-PGPUB; USPAT	OR	ON	2002/04/16 13:56
S22	11	(((((("709"/\$).CCLS.) and (virtual adj machine )) and (memory adj management)) and class) and http	US-PGPUB; USPAT	OR	ON	2002/04/16 14:05
S23	0	((("709"/\$).CCLS.) and (virtual adj machine )) and (removal adj class)	US-PGPUB; USPAT	OR	ON	2002/04/16 14:06

## EAST Search History

S24	9	((("709"/\$).CCLS.) and (virtual adj machine )) and (minimal adj resourc\$)	US-PGPUB; USPAT	OR	ON	2002/04/16 14:13
S25	5	((709/1).CCLS.) and (class adj loader)	US-PGPUB; USPAT	OR	ON	2002/04/16 14:19
S26	3	((709/1).CCLS.) and (class adj structure)	US-PGPUB; USPAT	OR	ON	2002/04/16 14:31
S27	3	"netaddr"	US-PGPUB; USPAT	OR	ON	2002/04/16 14:23
S28	22	((709/1).CCLS.) and (memory adj manag\$)	US-PGPUB; USPAT	OR	ON	2002/04/16 14:33
S29	2	((("709"/\$).CCLS.) and (virtual adj machine )) and (threshold adj level)	USPAT	OR	OFF	2002/04/16 15:02
S30	645	http adj (client server)	USPAT	OR	OFF	2002/04/16 15:02
S31	0	((709/1).CCLS.) and (http adj (client server))	USPAT	OR	OFF	2002/04/16 15:03
S32	109	predefined adj class	USPAT	OR	OFF	2002/04/16 15:03
S33	0	(predefined adj class) and (http adj (client server))	USPAT	OR	OFF	2002/04/16 15:04
S34	16	(virtual adj machine ) and (predefined adj class)	USPAT	OR	OFF	2002/04/16 15:11
S35	136	class adj loader	USPAT	OR	OFF	2002/04/16 15:32
S36	0	(predefined adj class) and (class adj loader)	USPAT	OR	OFF	2002/04/16 15:32
S37	334	class adj structure	USPAT	OR	OFF	2002/04/16 15:32
S38	0	(class adj loader) and ((predefined adj class) and (class adj loader))	USPAT	OR	OFF	2002/04/16 15:33
S39	92	(virtual adj machine ) and (class adj loader)	USPAT	OR	OFF	2002/04/16 15:33
S40	7	(class adj structure) and ((virtual adj machine ) and (class adj loader))	USPAT	OR	OFF	2002/04/16 15:58
S41	3484	url	USPAT	OR	OFF	2002/04/16 15:59
S42	0	url and "l36"	USPAT	OR	OFF	2002/04/16 15:59
S43	37	url and (class adj loader)	USPAT	OR	OFF	2002/04/16 17:28
S44	20823	cache	USPAT	OR	OFF	2002/04/16 17:28
S45	32	((709/1).CCLS.) and cache	USPAT	OR	OFF	2002/04/17 09:52
S46	15107	("709").CLAS.	US-PGPUB; USPAT; USOCR	OR	OFF	2002/04/17 09:53
S47	2993	((("709"/\$).CCLS.) and cache	US-PGPUB; USPAT	OR	ON	2002/04/17 09:53

## EAST Search History

S48	244	((("709"/\$).CCLS.) and cache) and (virtual adj machine)	US-PGPUB; USPAT	OR	ON	2002/04/17 09:54
S49	65	((("709"/\$).CCLS.) and cache) and (virtual adj machine)) and threshold	US-PGPUB; USPAT	OR	ON	2002/04/17 09:55
S50	15248	("709").CLAS.	US-PGPUB; USPAT; USOCR	OR	OFF	2002/04/23 10:09
S51	10349	terminal adj device	US-PGPUB; USPAT	OR	ON	2002/04/23 10:10
S52	432	((("709"/\$).CCLS.) and (terminal adj device)	US-PGPUB; USPAT	OR	ON	2002/04/23 10:10
S53	2695	class adj object	US-PGPUB; USPAT	OR	ON	2002/04/23 10:11
S54	5	((("709"/\$).CCLS.) and (terminal adj device)) and (class adj object)	US-PGPUB; USPAT	OR	ON	2002/04/23 10:29
S55	1126	handheld adj device	US-PGPUB; USPAT	OR	ON	2002/04/23 10:30
S56	14	(handheld adj device) and (class adj object) and (("709"/\$).CCLS.)	US-PGPUB; USPAT	OR	ON	2002/04/23 11:08
S57	16522	class adj structure loader	US-PGPUB; USPAT	OR	ON	2002/04/23 11:09
S58	564	((("709"/\$).CCLS.) and (class adj structure loader)	US-PGPUB; USPAT	OR	ON	2002/04/23 11:09
S59	46	((("709"/\$).CCLS.) and (class adj structure loader)) and (memory adj manager)	US-PGPUB; USPAT	OR	ON	2002/04/23 11:39
S60	4	((("709"/\$).CCLS.) and (class adj structure loader)) and (memory same purge\$)	US-PGPUB; USPAT	OR	ON	2002/04/23 11:49
S61	1	((("709"/\$).CCLS.) and (class adj structure loader)) and (http adj client)	US-PGPUB; USPAT	OR	ON	2002/04/23 11:51
S62	90	((("709"/\$).CCLS.) and (class adj structure loader)) and (http)	US-PGPUB; USPAT	OR	ON	2002/04/24 12:00
S63	66	cache adj algorithm	US-PGPUB; USPAT	OR	ON	2002/04/23 17:37
S64	335	memory adj optimiz\$	US-PGPUB; USPAT	OR	ON	2002/04/23 17:38
S65	15248	("709").CLAS.	US-PGPUB; USPAT; USOCR	OR	OFF	2002/04/23 17:38
S66	18	(memory adj optimiz\$) and (("709"/\$).CCLS.)	US-PGPUB; USPAT	OR	ON	2002/04/23 17:38
S67	373	class same virtual adj machine	US-PGPUB; USPAT	OR	ON	2002/04/24 09:54

## EAST Search History

S68	1	resouce and (class same virtual adj machine)	US-PGPUB; USPAT	OR	ON	2002/04/24 09:55
S69	1	("6366898").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2002/04/24 12:00
S70	76	(purg\$4 or evict\$5 or (cast\$3 near1 out\$1) or lru or mru or (least near1 recently near1 used) or (most near1 recently near1 used) or dismiss\$4 or remov\$4 or expell\$4) adj5 (class or classes) and ("709"/\$.ccls. or "717"/\$.ccls. or "711"/\$.ccls.) and (object\$1 near2 orient\$4)	US-PGPUB; USPAT	OR	ON	2002/04/24 12:59
S71	32	(purg\$4 or evict\$5 or (cast\$3 near1 out\$1) or lru or mru or (least near1 recently near1 used) or (most near1 recently near1 used) or dismiss\$4 or remov\$4 or expell\$4) adj5 (class or classes) and ("709"/\$.ccls. or "717"/\$.ccls. or "711"/\$.ccls.) and (object\$1 near2 orient\$4) and stack	US-PGPUB; USPAT	OR	ON	2002/04/24 13:31
S72	1	("6345288").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2002/04/24 13:16
S73	1	("6088717").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2002/04/24 13:16
S74	11	(purg\$4 or evict\$5 or (cast\$3 near1 out\$1) or lru or mru or (least near1 recently near1 used) or (most near1 recently near1 used) or dismiss\$4 or remov\$4 or expell\$4) adj5 (class or classes) and ("709"/\$.ccls. or "717"/\$.ccls. or "711"/\$.ccls.) and (object\$1 near2 orient\$4) and stack and cache	US-PGPUB; USPAT	OR	ON	2002/04/24 15:30
S75	13	(purg\$4 or evict\$5 or (cast\$3 near1 out\$1) or lru or mru or (least near1 recently near1 used) or (most near1 recently near1 used) or dismiss\$4 or remov\$4 or expell\$4) adj5 (class or classes) and ("709"/\$.ccls. or "717"/\$.ccls. or "711"/\$.ccls.) and (object\$1 near2 orient\$4) and threshold	US-PGPUB; USPAT	OR	ON	2002/04/24 15:54

## EAST Search History

S76	13	(purg\$4 or evict\$5 or (cast\$3 near1 out\$1) or lru or mru or (least near1 recently near1 used) or (most near1 recently near1 used) or dismiss\$4 or remov\$4 or expell\$4) adj5 (class or classes) and ("709"/\$.ccls. or "717"/\$.ccls. or "711"/\$.ccls.) and (object\$1 near2 orient\$4) and idle	US-PGPUB; USPAT	OR	ON	2002/04/24 15:56
S77	5747	cach\$3 same (replac\$5 or evict\$4 or purg\$3 or remov\$4)	US-PGPUB; USPAT	OR	ON	2002/04/26 14:28
S78	119	cach\$3 same (replac\$5 or evict\$4 or purg\$3 or remov\$4) same idle	US-PGPUB; USPAT	OR	ON	2002/04/26 17:21
S79	1	("0207097").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2002/04/26 17:22
S80	1	("0207152").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2002/04/26 17:22
S81	2091	cache and (least adj recently adj used)	US-PGPUB; USPAT	OR	ON	2002/04/30 10:46
S82	169	cache and (least adj recently adj used) and (web)	US-PGPUB; USPAT	OR	ON	2002/09/19 17:07
S83	65259	cache and (least adj recently adj used) and (web) and (object) and (threshold) or (idle)	US-PGPUB; USPAT	OR	ON	2002/04/30 10:48
S84	136	cache and (least adj recently adj used) and (web) and (object)	US-PGPUB; USPAT	OR	ON	2002/04/30 11:04
S85	104	cache and (least adj recently adj used) and (web) and (object) and (client)	US-PGPUB; USPAT	OR	ON	2002/04/30 11:06
S86	9	cache and (least adj recently adj used) and (web) and (object) and (client) and (virtual adj machine)	US-PGPUB; USPAT	OR	ON	2002/04/30 11:21
S87	58	cache and (least adj recently adj used) and (web) and (object) and (client) and http	US-PGPUB; USPAT	OR	ON	2002/04/30 11:21
S88	1	("5636355").PN.	USPAT; USOCR	OR	OFF	2002/09/19 17:06
S89	0	(minimiz\$3 adj10 memory) and (minimiz\$3 adj10 (class adj loading))	US-PGPUB; USPAT	OR	ON	2002/09/19 17:08
S90	5797	minimiz\$3 adj10 memory	US-PGPUB; USPAT	OR	ON	2002/09/19 17:08
S91	1	(minimiz\$3 adj10 memory) and (class adj5 loading)	US-PGPUB; USPAT	OR	ON	2002/09/19 17:11
S92	90	(minimiz\$3 adj10 memory) and (minimiz\$3 same class)	US-PGPUB; USPAT	OR	ON	2002/09/19 17:11

## EAST Search History

S93	0	(minimiz\$3 adj10 memory) and (minimiz\$3 same (class adj loading))	US-PGPUB; USPAT	OR	ON	2002/09/19 17:11
S94	24	(minimiz\$3 adj10 memory) and (class adj4 activit\$3)	US-PGPUB; USPAT	OR	ON	2002/09/19 17:15
S95	6	(minimiz\$3 adj10 memory) and (class with loader)	US-PGPUB; USPAT	OR	ON	2002/09/19 17:21
S96	2	(minimiz\$3 adj10 memory) and (class with loader) and activit\$3	US-PGPUB; USPAT	OR	ON	2002/09/19 17:18
S97	0	(minimiz\$4 same (loader adj4 activit\$3))	US-PGPUB; USPAT	OR	ON	2002/09/19 17:22
S98	2	(minimiz\$4 same (network adj4 activit\$3)) and (class adj4 loader)	US-PGPUB; USPAT	OR	ON	2002/09/19 17:24
S99	0	(minimiz\$3 same (load\$3 adj4 activit\$3))	US-PGPUB; USPAT	OR	ON	2002/09/19 17:24
S10 0	0	((class adj4 loader) with activit\$3)	US-PGPUB; USPAT	OR	ON	2002/09/19 17:25
S10 1	1	((class adj4 loader) same activit\$3)	US-PGPUB; USPAT	OR	ON	2002/09/19 17:25
S10 2	261	((class adj4 loader))	US-PGPUB; USPAT	OR	ON	2002/09/19 17:25
S10 3	39	((class adj4 loader)) and (minimiz\$3) and (activit\$3)	US-PGPUB; USPAT	OR	ON	2002/09/20 10:21
S10 4	364	(class) and (loader) and (minimiz\$3) and (activit\$3)	US-PGPUB; USPAT	OR	ON	2002/09/20 10:22
S10 5	67	((class) same (loader)) and (minimiz\$3) and (activit\$3)	US-PGPUB; USPAT	OR	ON	2002/09/20 10:24
S10 6	39	(jvm) and (minimiz\$3) and (activit\$3)	US-PGPUB; USPAT	OR	ON	2002/09/20 10:25
S10 7	5	(jvm) and (minimiz\$3) and (activit\$3) and (class same loader)	US-PGPUB; USPAT	OR	ON	2002/09/20 10:35
S10 8	67	(minimiz\$3) and (activit\$3) and (class same loader)	US-PGPUB; USPAT	OR	ON	2002/09/20 10:36
S10 9	67	(minimiz\$3 or lowest) and (activit\$3) and (class same loader)	US-PGPUB; USPAT	OR	ON	2002/09/20 10:50
S11 0	2	(minimiz\$3 same activit\$3) and (class same loader)	US-PGPUB; USPAT	OR	ON	2002/09/20 10:55
S11 1	4373	(minimiz\$3 same activit\$3) and (load\$3)	US-PGPUB; USPAT	OR	ON	2002/09/20 10:55
S11 2	1665	(minimiz\$3 same activit\$3) and (load\$3) and (class)	US-PGPUB; USPAT	OR	ON	2002/09/20 10:55
S11 3	27	(minimiz\$3 same activit\$3) and (class adj10 load\$3)	US-PGPUB; USPAT	OR	ON	2002/09/20 11:03

## EAST Search History

S11 4	1	(minimiz\$3 same activit\$3) and (class) and (load\$3) and (jvm)	US-PGPUB; USPAT	OR	ON	2002/09/20 11:03
S11 5	67	(minimiz\$3 same activit\$3) and (class) and (load\$3) and ("709"/\$.cls.)	US-PGPUB; USPAT	OR	ON	2002/09/20 11:03
S11 6	2	((("4633387") or ("6055526"))).PN.	USPAT; USOCR	OR	OFF	2002/09/23 15:30
S11 7	1	("5636355").PN.	USPAT; USOCR	OR	OFF	2002/09/23 16:15
S11 8	1	("6134583").PN.	USPAT; USOCR	OR	OFF	2002/09/23 16:15
S11 9	2	((("4633387") or ("6055526"))).PN.	USPAT; USOCR	OR	OFF	2002/09/24 15:35
S12 0	0	("(virtualadj2machine)and(memorynear5purg\$4)").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2003/01/15 16:06
S12 1	16	(virtual adj2 machine) and (memory near5 purg\$4)	US-PGPUB; USPAT	OR	ON	2003/01/15 17:09
S12 2	818	memory near5 purg\$4	US-PGPUB; USPAT	OR	ON	2003/01/15 16:11
S12 3	141	(memory near5 purg\$4) and class and load\$3	US-PGPUB; USPAT	OR	ON	2003/01/15 16:12
S12 4	8	(memory near5 purg\$4) and class and load\$3 and (lru or (least near3 recent\$2))	US-PGPUB; USPAT	OR	ON	2003/01/15 16:16
S12 5	159	(memory near5 (purg\$4 or collect\$3 or arrang\$3)) and class and load\$3 and (lru or (least near3 recent\$2))	US-PGPUB; USPAT	OR	ON	2003/01/15 16:17
S12 6	0	(memory near5 (purg\$4 or collect\$3 or arrang\$3)) and class and load\$3 and (lru or (least near3 recent\$2)) and miniz\$3	US-PGPUB; USPAT	OR	ON	2003/01/15 16:17
S12 7	104	(memory near5 (purg\$4 or collect\$3 or arrang\$3)) and class and load\$3 and (lru or (least near3 recent\$2)) and minimiz\$3	US-PGPUB; USPAT	OR	ON	2003/02/26 11:27
S12 8	28	(memory near5 (purg\$4 or collect\$3 or arrang\$3)) and class and load\$3 and (lru or (least near3 recent\$2)) and minimiz\$3 and (convert\$3 near5 format\$3)	US-PGPUB; USPAT	OR	ON	2003/01/15 16:25
S12 9	80	(memory near5 (purg\$4 or collect\$3 or arrang\$3)) and class and load\$3 and (lru or (least near3 recent\$2)) and minimiz\$3 and (format\$3)	US-PGPUB; USPAT	OR	ON	2003/01/15 16:41

## EAST Search History

S13 0	50	(virtual adj2 machine) and class and load\$3 and (lru or (least near3 recent\$2)) and minimiz\$3 and (format\$3)	US-PGPUB; USPAT	OR	ON	2003/01/15 16:44
S13 1	30	(virtual adj2 machine) and class and load\$3 and (lru or (least near3 recent\$2)) and minimiz\$3 and (format\$3) and predefin\$3	US-PGPUB; USPAT	OR	ON	2003/01/15 16:45
S13 2	11	(virtual adj2 machine) and (class with load\$3) and (lru or (least near3 recent\$2)) and (re\$format\$3)	US-PGPUB; USPAT	OR	ON	2003/01/15 16:47
S13 3	24	(virtual adj2 machine) and (class with load\$3) and (re\$format\$3)	US-PGPUB; USPAT	OR	ON	2003/01/15 17:08
S13 4	24	(jvm or virtual adj2 machine) and (class with load\$3) and (re\$format\$3)	US-PGPUB; USPAT	OR	ON	2003/01/15 17:09
S13 5	11	(jvm) and (class) and object and load\$3 and (re\$format\$3)	US-PGPUB; USPAT	OR	ON	2003/01/15 17:11
S13 6	5	(jvm) and (class near5 object) and load\$3 and (re\$format\$3)	US-PGPUB; USPAT	OR	ON	2003/01/15 17:13
S13 7	11	(jvm) and load\$3 and (re\$format\$3)	US-PGPUB; USPAT	OR	ON	2003/01/15 17:13
S13 8	33	(jvm or (java adj2 machine)) and load\$3 and (re\$format\$3)	US-PGPUB; USPAT	OR	ON	2003/01/15 17:19
S13 9	855	(jvm or (java adj2 machine)) and load\$3 and (format\$3)	US-PGPUB; USPAT	OR	ON	2003/01/15 17:20
S14 0	1092	(jvm or (java adj2 machine)) and load\$3 and (format\$3 or modif\$4 or predefined)	US-PGPUB; USPAT	OR	ON	2003/01/15 17:20
S14 1	685	(jvm or (java adj2 machine)) and load\$3 and ((format\$3 or modif\$4) same (class or object))	US-PGPUB; USPAT	OR	ON	2003/01/15 17:21
S14 2	53	(jvm or (java adj2 machine)) and load\$3 and ((format\$3 or modif\$4) same (class or object)) and (predefin\$3 same format\$3)	US-PGPUB; USPAT	OR	ON	2003/01/15 17:46
S14 3	185	(jvm or (java adj2 machine)) and (class with loader)	US-PGPUB; USPAT	OR	ON	2003/01/15 17:46
S14 4	133	(jvm or (java adj2 machine)) and (class with loader) and (format\$3)	US-PGPUB; USPAT	OR	ON	2003/01/15 17:47
S14 5	24	(jvm or (java adj2 machine)) and (class with loader) and (format\$3) and predefined	US-PGPUB; USPAT	OR	ON	2003/01/15 17:47
S14 6	14	(memory near5 (purg\$4 or collect\$3 or arrang\$3)) and class and load\$3 and (lru or (least near3 recent\$2)) and minimiz\$3 and "712"/\$.cccls.	US-PGPUB; USPAT	OR	ON	2003/02/26 11:53



## EAST Search History

S14 7	150	(class adj5 load\$3) and (garbage adj5 collect\$3) and network	US-PGPUB; USPAT	OR	ON	2003/02/26 11:54
S14 8	4	(class adj5 load\$3) and (garbage adj5 collect\$3) and network and "712"/\$.ccls.	US-PGPUB; USPAT	OR	ON	2003/02/26 12:05
S14 9	54	(class adj5 load\$3) and (garbage adj5 collect\$3) and network and "709"/\$.ccls.	US-PGPUB; USPAT	OR	ON	2003/02/26 15:09
S15 0	38	(class adj5 load\$3) and (garbage adj5 collect\$3) and network and http and url	US-PGPUB; USPAT	OR	ON	2003/02/26 14:28
S15 1	16	(class adj5 load\$3) and (garbage adj5 collect\$3) and network and (load\$3 with activit\$3)	US-PGPUB; USPAT	OR	ON	2003/02/26 14:32
S15 2	28	(class adj5 load\$3) and (garbage adj5 collect\$3) and ((network or load\$3) with activit\$3)	US-PGPUB; USPAT	OR	ON	2003/02/26 14:33
S15 3	186	(class adj5 load\$3) and (garbage adj5 collect\$3)	US-PGPUB; USPAT	OR	ON	2003/02/26 14:34
S15 4	29	(class adj5 load\$3) and (garbage adj5 collect\$3) and (lru or (least adj2 used))	US-PGPUB; USPAT	OR	ON	2003/02/26 14:35
S15 5	1	"5974256".PN.	USPAT	OR	OFF	2003/02/26 14:39
S15 6	15	(class adj5 load\$3) and (garbage adj5 collect\$3) and (network same activit\$3)	US-PGPUB; USPAT	OR	ON	2003/02/26 14:42
S15 7	1	"5911069".PN.	USPAT	OR	OFF	2003/02/26 14:56
S15 8	1	"5873105".PN.	USPAT	OR	OFF	2003/02/26 14:56
S15 9	1	"5787431".PN.	USPAT	OR	OFF	2003/02/26 14:56
S16 0	1	"5367685".PN.	USPAT	OR	OFF	2003/02/26 14:57
S16 1	1	"5280613".PN.	USPAT	OR	OFF	2003/02/26 14:57
S16 2	42	(class adj5 load\$3) and (garbage adj5 collect\$3) and network and "707"/\$.ccls.	US-PGPUB; USPAT	OR	ON	2003/02/26 15:34
S16 3	1	"6282702".PN.	USPAT	OR	OFF	2003/02/26 15:10
S16 4	1	"6253215".PN.	USPAT	OR	OFF	2003/02/26 15:11
S16 5	1	"6110226".PN.	USPAT	OR	OFF	2003/02/26 15:11

## EAST Search History

S16 6	1	"6081665".PN.	USPAT	OR	OFF	2003/02/26 15:14
S16 7	1	("6289506").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2003/02/26 15:24
S16 8	1	"5946487".PN.	USPAT	OR	OFF	2003/02/26 15:33
S16 9	1	"5836014".PN.	USPAT	OR	OFF	2003/02/26 15:34
S17 0	118	(class adj5 load\$3) and (garbage adj5 collect\$3) and network and (jvm or (java with machine))	US-PGPUB; USPAT	OR	ON	2003/02/26 15:35
S17 1	24	(class adj5 load\$3) and (garbage adj5 collect\$3) and network and (jvm or (java with machine)) and http and url	US-PGPUB; USPAT	OR	ON	2003/02/26 16:03
S17 2	1	"5812854".PN.	USPAT	OR	OFF	2003/02/26 15:44
S17 3	1	"5768593".PN.	USPAT	OR	OFF	2003/02/26 15:45
S17 4	1	"5664172".PN.	USPAT	OR	OFF	2003/02/26 15:46
S17 5	1	"5590331".PN.	USPAT	OR	OFF	2003/02/26 15:46
S17 6	1	"5581696".PN.	USPAT	OR	OFF	2003/02/26 15:47
S17 7	1	"5375242".PN.	USPAT	OR	OFF	2003/02/26 15:47
S17 8	1	"5946487".PN.	USPAT	OR	OFF	2003/02/26 15:48
S17 9	1	"5836014".PN.	USPAT	OR	OFF	2003/02/26 15:48
S18 0	1	"6170083".PN.	USPAT	OR	OFF	2003/02/26 15:49
S18 1	1	"6131187".PN.	USPAT	OR	OFF	2003/02/26 15:50
S18 2	1	"6003038".PN.	USPAT	OR	OFF	2003/02/26 15:50
S18 3	1	("5848423").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2003/02/26 16:01
S18 4	0	(class adj5 load\$3) and (garbage adj5 collect\$3) and network and (minimiz\$3 with load\$3) and http and url	US-PGPUB; USPAT	OR	ON	2003/02/26 16:03

## EAST Search History

S18 5	2	(class adj5 load\$3) and (garbage adj5 collect\$3) and network and (minimiz\$3 with load\$3)	US-PGPUB; USPAT	OR	ON	2003/02/26 16:04
S18 6	0	(class adj5 load\$3) and (garbage adj5 collect\$3) and network and (minimiz\$3 with activit\$3)	US-PGPUB; USPAT	OR	ON	2003/02/26 16:05
S18 7	150	(class adj5 load\$3) and (garbage adj5 collect\$3) and network	US-PGPUB; USPAT	OR	ON	2003/02/27 08:17
S18 8	1	"5815718".PN.	USPAT	OR	OFF	2003/02/26 16:20
S18 9	1	"5740441".PN.	USPAT	OR	OFF	2003/02/26 16:20
S19 0	1	"5732273".PN.	USPAT	OR	OFF	2003/02/26 16:20
S19 1	1	"5307499".PN.	USPAT	OR	OFF	2003/02/26 16:21
S19 2	1	"5459868".PN.	USPAT	OR	OFF	2003/02/26 16:21
S19 3	1	"5475843".PN.	USPAT	OR	OFF	2003/02/26 16:21
S19 4	158	(class adj5 load\$3) and (garbage adj5 collect\$3) and (virtual adj2 machine)	US-PGPUB; USPAT	OR	ON	2003/02/27 10:46
S19 5	1	"5692047".PN.	USPAT	OR	OFF	2003/02/27 08:31
S19 6	1	"5659751".PN.	USPAT	OR	OFF	2003/02/27 08:32
S19 7	1	"5613120".PN.	USPAT	OR	OFF	2003/02/27 08:32
S19 8	1	"5586328".PN.	USPAT	OR	OFF	2003/02/27 08:33
S19 9	1	("5848423").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2003/02/27 10:46
S20 0	17	(class adj5 load\$3) and (garbage adj5 collect\$3) and network and (lru or (least adj3 used))	US-PGPUB; USPAT	OR	ON	2003/02/27 12:25
S20 1	29	(class adj5 load\$3) and (garbage adj5 collect\$3) and (lru or (least adj3 used))	US-PGPUB; USPAT	OR	ON	2003/02/27 15:25
S20 2	4	(("5787431") or ("5848423") or ("5999732") or ("6295643")).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2003/02/27 15:48
S20 3	1	("6101495").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2003/02/27 15:49

## EAST Search History

S20 4	1	"5822780".PN.	USPAT	OR	OFF	2003/02/27 15:49
S20 5	1	"5813005".PN.	USPAT	OR	OFF	2003/02/27 15:49
S20 6	1	"5625815".PN.	USPAT	OR	OFF	2003/02/27 15:50
S20 7	1	"5551027".PN.	USPAT	OR	OFF	2003/02/27 15:50
S20 8	1	"5548761".PN.	USPAT	OR	OFF	2003/02/27 15:51
S20 9	1	"5544313".PN.	USPAT	OR	OFF	2003/02/27 15:51
S21 0	1	"5544313".PN.	USPAT	OR	OFF	2003/02/27 15:51
S21 1	1	"5524257".PN.	USPAT	OR	OFF	2003/02/27 15:52
S21 2	1	"5504894".PN.	USPAT	OR	OFF	2003/02/27 15:52
S21 3	1	"5283897".PN.	USPAT	OR	OFF	2003/02/27 15:53
S21 4	1	"5283731".PN.	USPAT	OR	OFF	2003/02/27 15:53
S21 5	1	(US-5961582-\$.did.	USPAT	OR	OFF	2002/04/16 14:59
S22 2	1	("6571388").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/06/12 01:32
S22 3	1	(class near4 load\$3) and (purg\$3 near4 array)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/06/12 01:34
S22 4	2	(class near4 load\$3) and (purg\$3 near4 referenc\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/06/29 23:21
S22 5	4	(class near4 load\$3 near5 purg\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/06/12 01:38
S22 6	1	("6571388").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/06/29 23:14
S22 7	4	((("4633387") or ("6134583") or ("5636355") or ("5920725"))).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/06/29 23:15

## EAST Search History

S22 8	236	(class near4 load\$3) and (array near4 referenc\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/06/29 23:22
S22 9	26	(class near4 load\$3) and (array near4 referenc\$3) and purg\$3	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/06/29 23:22
S23 0	4	(class near4 load\$3) and (array near4 referenc\$3) and purg\$3 and @ad<"19990309"	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/06/29 23:22



USPTO

[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

Search: ☒ The ACM Digital Library ☐ The Guide

**SEARCH**

THE ACM DIGITAL LIBRARY



[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

Terms used: virtual machine class loader purge

Found 4 of 205,978

Sort results by

☒



Save results to a Binder

[Try an Advanced Search](#)

[Try this search in The ACM Guide](#)

Display results

☒



Search Tips

☐ Open results in a new window

Results 1 - 4 of 4

Relevance scale ☐ ☐ ☐ ☐ ☐

1 Garbage collection on multiprocessors: Task-aware garbage collection in a multi-tasking virtual machine



Sunil Soman, Laurent Daynès, Chandra Krintz

June 2006 **Proceedings of the 2006 international symposium on Memory management ISMM '06**

Publisher: ACM Press

Full text available: [pdf\(125.22 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

A multi-tasking virtual machine (MVM) executes multiple programs in isolation, within a single operating system process. The goal of a MVM is to improve startup time, overall system throughput, and performance, by effective reuse and sharing of system resources across programs (tasks). However, multitasking also mandates a memory management system capable of offering a guarantee of isolation with respect to garbage collection costs, accounting of memory usage, and timely reclamation of heap reso ...

**Keywords:** java, multi-tasking, resource reclamation, task-aware garbage collection, virtual machine

2 Java without the coffee breaks: a nonintrusive multiprocessor garbage collector



David F. Bacon, Clement R. Attanasio, Han B. Lee, V. T. Rajan, Stephen Smith

May 2001 **ACM SIGPLAN Notices , Proceedings of the ACM SIGPLAN 2001 conference on Programming language design and implementation PLDI '01**, Volume 36 Issue 5

Publisher: ACM Press

Full text available: [pdf\(1.69 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

The deployment of Java as a concurrent programming language has created a critical need for high-performance, concurrent, and incremental multiprocessor garbage collection. We present the *Recycler*, a fully concurrent pure reference counting garbage collector that we have implemented in the Jalapeño Java virtual machine running on shared memory multiprocessors.

While a variety of multiprocessor collectors have been proposed and some have been implemented, experimental dat ...

3

DRM, trusted computing and operating system architecture

Jason F. Reid, William J. Caelli

January 2005 **Proceedings of the 2005 Australasian workshop on Grid computing and e-research - Volume 44 ACSW Frontiers '05**

**Publisher:** Australian Computer Society, Inc.

Full text available:  [pdf\(191.31 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Robust technological enforcement of DRM licenses assumes that the prevention of direct access to the raw bit representation of decrypted digital content and the license enforcement mechanisms themselves is possible. This is difficult to achieve on an open computing platform such as a PC. Recent trusted computing initiatives namely, the Trusted Computing Group (TCG) specification, and Microsoft's Next Generation Secure Computing Base (NGSCB) aim in part to address this problem. The protection arc ...

#### 4 [Proxy compilation of dynamically loaded Java classes with MoJo](#)



Matt Newsome, Des Watson

June 2002 **ACM SIGPLAN Notices , Proceedings of the joint conference on Languages, compilers and tools for embedded systems: software and compilers for embedded systems LCTES/SCOPES '02**, Volume 37 Issue 7

**Publisher:** ACM Press

Full text available:  [pdf\(358.62 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Interest in Java implementations for resource-constrained environments such as embedded systems has been tempered by concerns regarding its efficiency. Current native compilers for Java offer dramatic increases in efficiency, but have poor support for dynamically-loaded classes, which are typically served by slow interpreters or JIT compilers, the code-size of this latter utterly mismatching the resource constraints of the system. After a brief survey of Ahead-of-Time compilers for Java, we prese ...

**Keywords:** AOT, JIT, adaptive compilation, ahead-of-time, dynamic class loading, hotspot, just-in-time, native compilation, proxy compilation, remote compilation

Results 1 - 4 of 4

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2007 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)


[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: ☒ The ACM Digital Library ☐ The Guide

+"virtual machine" +class +loader +memory +manager +purge



THE ACM DIGITAL LIBRARY


[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

 Terms used: virtual machine class loader memory manager purge

Found 2 of 205,978

Sort results by

relevance


[Save results to a Binder](#)
[Try an Advanced Search](#)
[Try this search in The ACM Guide](#)

Display results

expanded form


[Search Tips](#)
☐ Open results in a new window

Results 1 - 2 of 2

 Relevance scale ☐ ☐ ☐ ☐ ☐

### 1 Garbage collection on multiprocessors: Task-aware garbage collection in a multi-tasking virtual machine



Sunil Soman, Laurent Daynès, Chandra Krintz

 June 2006 **Proceedings of the 2006 international symposium on Memory management ISMM '06**

Publisher: ACM Press

 Full text available: pdf(125.22 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

A multi-tasking virtual machine (MVM) executes multiple programs in isolation, within a single operating system process. The goal of a MVM is to improve startup time, overall system throughput, and performance, by effective reuse and sharing of system resources across programs (tasks). However, multitasking also mandates a memory management system capable of offering a guarantee of isolation with respect to garbage collection costs, accounting of memory usage, and timely reclamation of heap reso ...

**Keywords:** java, multi-tasking, resource reclamation, task-aware garbage collection, virtual machine

### 2 Proxy compilation of dynamically loaded Java classes with MoJo



Matt Newsome, Des Watson

 June 2002 **ACM SIGPLAN Notices , Proceedings of the joint conference on Languages, compilers and tools for embedded systems: software and compilers for embedded systems LCTES/SCOPES '02, Volume 37 Issue 7**

Publisher: ACM Press

 Full text available: pdf(358.62 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Interest in Java implementations for resource-constrained environments such as embedded systems has been tempered by concerns regarding its efficiency. Current native compilers for Java offer dramatic increases in efficiency, but have poor support for dynamically-loaded classes, which are typically served by slow interpreters or JIT compilers, the code-size of this latter utterly mismatching the resource constraints of the system. After a brief survey of Ahead-of-Time compilers for Java, we prese ...

**Keywords:** AOT, JIT, adaptive compilation, ahead-of-time, dynamic class loading, hotspot, just-in-time, native compilation, proxy compilation, remote compilation



Results 1 - 2 of 2

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2007 ACM, Inc.  
[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)



USPTO

[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: ☒ The ACM Digital Library ☐ The Guide

+virtual +machine +class +loader +memory +manager +purge



THE ACM DIGITAL LIBRARY


[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

Terms used:

**virtual machine class loader memory manager purge**

Found 4 of 205,978

Sort results by

relevance ☒

Display results

expanded form ☒[Save results to a Binder](#)[Search Tips](#)[Open results in a new window](#)[Try an Advanced Search](#)[Try this search in The ACM Guide](#)

Results 1 - 4 of 4

Relevance scale ☐ ☐ ☐ ☐ ☐1 [Garbage collection on multiprocessors: Task-aware garbage collection in a multi-](#)[tasking virtual machine](#)

Sunil Soman, Laurent Daynès, Chandra Krintz

June 2006 **Proceedings of the 2006 international symposium on Memory management ISMM '06**

Publisher: ACM Press

Full text available: [pdf\(125.22 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

A multi-tasking virtual machine (MVM) executes multiple programs in isolation, within a single operating system process. The goal of a MVM is to improve startup time, overall system throughput, and performance, by effective reuse and sharing of system resources across programs (tasks). However, multitasking also mandates a memory management system capable of offering a guarantee of isolation with respect to garbage collection costs, accounting of memory usage, and timely reclamation of heap reso ...

**Keywords:** java, multi-tasking, resource reclamation, task-aware garbage collection, virtual machine

2 [Charles W. Bachman interview: September 25-26, 2004; Tucson, Arizona](#)

Thomas Haigh

January 2006 **ACM Oral History interviews**

Publisher: ACM Press

Full text available: [pdf\(761.66 KB\)](#) Additional Information: [full citation](#), [abstract](#)

Charles W. Bachman reviews his career. Born during 1924 in Kansas, Bachman attended high school in East Lansing, Michigan before joining the Army Anti Aircraft Artillery Corp, with which he spent two years in the Southwest Pacific Theater, during World War II. After his discharge from the military, Bachman earned a B.Sc. in Mechanical Engineering in 1948, followed immediately by an M.Sc. in the same discipline, from the University of Pennsylvania. On graduation, he went to work for Do ...


3 [Sharing and protection in a single-address-space operating system](#)

Jeffrey S. Chase, Henry M. Levy, Michael J. Feeley, Edward D. Lazowska

November 1994 **ACM Transactions on Computer Systems (TOCS)**, Volume 12 Issue 4

Publisher: ACM Press

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index](#)

Full text available:  [pdf\(2.87 MB\)](#)

[terms](#)

This article explores memory sharing and protection support in Opal, a single-address-space operating system designed for wide-address (64-bit) architectures. Opal threads execute within protection domains in a single shared virtual address space. Sharing is simplified, because addresses are context independent. There is no loss of protection, because addressability and access are independent; the right to access a segment is determined by the protection domain in which a thread executes. T ...

**Keywords:** 64-bit architectures, capability-based systems, microkernel operating systems, object-oriented database systems, persistent storage, protection, single-address-space operating systems, wide-address architectures

#### 4 [Proxy compilation of dynamically loaded Java classes with MoJo](#)



Matt Newsome, Des Watson

June 2002 **ACM SIGPLAN Notices , Proceedings of the joint conference on Languages, compilers and tools for embedded systems: software and compilers for embedded systems LCTES/SCOPES '02**, Volume 37 Issue 7

**Publisher:** ACM Press

Full text available:  [pdf\(358.62 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Interest in Java implementations for resource-constrained environments such as embedded systems has been tempered by concerns regarding its efficiency. Current native compilers for Java offer dramatic increases in efficiency, but have poor support for dynamically-loaded classes, which are typically served by slow interpreters or JIT compilers, the code-size of this latter utterly mismatching the resource constraints of the system. After a brief survey of Ahead-of-Time compilers for Java, we prese ...

**Keywords:** AOT, JIT, adaptive compilation, ahead-of-time, dynamic class loading, hotspot, just-in-time, native compilation, proxy compilation, remote compilation

Results 1 - 4 of 4

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2007 ACM, Inc.  
[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)



Welcome United States Patent and Trademark Office

## Search Results

[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)[SUPPORT](#)

Results for "(((virtual &lt;near/3&gt; machine) and (class &lt;near/3&gt; load))&lt;in&gt;metadata)"

[e-mail](#)
[printer friendly](#)

Your search matched 10 of 1613146 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

## » Search Options

[View Session History](#)[New Search](#)

## Modify Search

[Search](#)
☐ Check to search only within this results set

 Display Format: ☒ Citation ☐ Citation & Abstract

## » Key

IEEE JNL IEEE Journal or Magazine

IET JNL IET Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IET CNF IET Conference Proceeding

IEEE STD IEEE Standard

[view selected items](#)
[Select All](#)
[Deselect All](#)

- ☐ 1. A survey of adaptive optimization in virtual machines  
 Arnold, M.; Fink, S.J.; Grove, D.; Hind, M.; Sweeney, P.F.;  
Proceedings of the IEEE  
 Volume 93, Issue 2, Feb 2005 Page(s):449 - 466  
 Digital Object Identifier 10.1109/JPROC.2004.840305  
[AbstractPlus](#) | Full Text: [PDF\(568 KB\)](#) IEEE JNL  
[Rights and Permissions](#)
- ☐ 2. A reflective implementation of Java multi-methods  
 Forax, R.; Duris, E.; Roussel, G.;  
Software Engineering, IEEE Transactions on  
 Volume 30, Issue 12, Dec. 2004 Page(s):1055 - 1071  
 Digital Object Identifier 10.1109/TSE.2004.90  
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(696 KB\)](#) IEEE JNL  
[Rights and Permissions](#)
- ☐ 3. Experience from teaching performance analysis of object-oriented systems  
 Srisa-an, W.; Oey, M.;  
Frontiers in Education, 2005. FIE '05. Proceedings 35th Annual Conference  
 19-22 Oct. 2005 Page(s):T4C - 1-6  
 Digital Object Identifier 10.1109/FIE.2005.1611962  
[AbstractPlus](#) | Full Text: [PDF\(81 KB\)](#) IEEE CNF  
[Rights and Permissions](#)
- ☐ 4. Exploiting dynamic proxies in middleware for distributed, parallel, and mobile Java applications  
 van Heiningen, W.; Brecht, T.; MacDonald, S.;  
Parallel and Distributed Processing Symposium, 2006. IPDPS 2006. 20th International  
 25-29 April 2006 Page(s):8 pp.  
 Digital Object Identifier 10.1109/IPDPS.2006.1639504  
[AbstractPlus](#) | Full Text: [PDF\(128 KB\)](#) IEEE CNF  
[Rights and Permissions](#)
- ☐ 5. A fast analysis for thread-local garbage collection with dynamic class loading  
 Jones, R.; King, A.C.;  
Source Code Analysis and Manipulation, 2005. Fifth IEEE International Workshop on  
 30 Sept.-1 Oct. 2005 Page(s):129 - 138  
 Digital Object Identifier 10.1109/SCAM.2005.1

[AbstractPlus](#) | [Full Text: PDF\(296 KB\)](#) [IEEE CNF](#)  
[Rights and Permissions](#)

- ☐ **6. A transformational overview of the core functionality of an abstract class loader for the SSP**  
Winter, V.L.; Beranek, J.; Mametjanov, A.; Fraij, F.; Roach, S.; Wickstrom, G.;  
[Object-Oriented Real-Time Dependable Systems, 2005. WORDS 2005. 10th IEEE International Workshop on](#)  
2-4 Feb. 2005 Page(s):301 - 311  
Digital Object Identifier 10.1109/WORDS.2005.12  
[AbstractPlus](#) | [Full Text: PDF\(320 KB\)](#) [IEEE CNF](#)  
[Rights and Permissions](#)
  
- ☐ **7. Dynamically loaded classes as shared libraries: an approach to improving virtual machine scalability**  
Wong, B.; Czajkowski, G.; Daynes, L.;  
[Parallel and Distributed Processing Symposium, 2003. Proceedings. International](#)  
22-26 April 2003 Page(s):10 pp.  
Digital Object Identifier 10.1109/IPDPS.2003.1213123  
[AbstractPlus](#) | [Full Text: PDF\(337 KB\)](#) [IEEE CNF](#)  
[Rights and Permissions](#)
  
- ☐ **8. JavaSymphony: a system for development of locality-oriented distributed and parallel Java applications**  
Fahringer, T.;  
[Cluster Computing, 2000. Proceedings. IEEE International Conference on](#)  
28 Nov.-1 Dec. 2000 Page(s):145 - 152  
Digital Object Identifier 10.1109/CLUSTER.2000.889023  
[AbstractPlus](#) | [Full Text: PDF\(736 KB\)](#) [IEEE CNF](#)  
[Rights and Permissions](#)
  
- ☐ **9. Dynamic linking on a shared-memory multiprocessor**  
Alpern, B.; Charney, M.; Jong-Deok Choi; Cocchi, A.; Lieber, D.;  
[Parallel Architectures and Compilation Techniques, 1999. Proceedings. 1999 International Conference on](#)  
12-16 Oct. 1999 Page(s):177 - 182  
Digital Object Identifier 10.1109/PACT.1999.807524  
[AbstractPlus](#) | [Full Text: PDF\(64 KB\)](#) [IEEE CNF](#)  
[Rights and Permissions](#)
  
- ☐ **10. Security and dynamic class loading in Java: a formalisation**  
Jensen, T.; Le Metayer, D.; Thorn, T.;  
[Computer Languages, 1998. Proceedings. 1998 International Conference on](#)  
14-16 May 1998 Page(s):4 - 15  
Digital Object Identifier 10.1109/ICCL.1998.674152  
[AbstractPlus](#) | [Full Text: PDF\(136 KB\)](#) [IEEE CNF](#)  
[Rights and Permissions](#)



Welcome United States Patent and Trademark Office

[Search Results](#)[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)[SUPPORT](#)

Results for "(((virtual &lt;near/3&gt; machine) and (class &lt;near/3&gt; load))&lt;in&gt;metadata) and (manager))"

Your search matched 2 of 1613146 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

[e-mail](#) [printer friendly](#)

## » Search Options

[View Session History](#)[New Search](#)

## Modify Search

  ☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract [Select All](#) [Deselect All](#)

IEEE JNL IEEE Journal or Magazine

IET JNL IET Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IET CNF IET Conference Proceeding

IEEE STD IEEE Standard

- ☐ 1. A survey of adaptive optimization in virtual machines  
Arnold, M.; Fink, S.J.; Grove, D.; Hind, M.; Sweeney, P.F.;  
[Proceedings of the IEEE](#)  
Volume 93, Issue 2, Feb 2005 Page(s):449 - 466  
Digital Object Identifier 10.1109/JPROC.2004.840305  
[AbstractPlus](#) | Full Text: [PDF\(568 KB\)](#) IEEE JNL  
[Rights and Permissions](#)
- ☐ 2. Dynamically loaded classes as shared libraries: an approach to improving virtual machine scalability  
Wong, B.; Czajkowski, G.; Daynes, L.;  
[Parallel and Distributed Processing Symposium, 2003. Proceedings. International](#)  
22-26 April 2003 Page(s):10 pp.  
Digital Object Identifier 10.1109/IPDPS.2003.1213123  
[AbstractPlus](#) | Full Text: [PDF\(337 KB\)](#) IEEE CNF  
[Rights and Permissions](#)

Indexed by  
 Inspec[Help](#) [Contact Us](#) [Privacy & Security](#) [IEEE](#)

© Copyright 2006 IEEE – All Rights Reserved

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [Gmail](#) [more ▾](#)

[Sign in](#)

Google

purge array "virtual machine" "class loader" "m

Search

[Advanced Search](#)  
[Preferences](#)

**Web** Results 1 - 10 of about 15 for **purge array "virtual machine" "class loader" "memory manager"**. (0.37 seconds)

[PDF] [N/MCI Contract N00024-00-D-6000 Awarded 6 October 2000 Attachment ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Identify the characteristics of a Redundant **Array** of Independent Disks (RAID) level. ....

Identify the need for and features of the Java **Virtual Machine**. ...

[https://portal.peoeis.navy.mil/main/contractdocs/Docs/N00024-00-D-6000\\_Attach05-](https://portal.peoeis.navy.mil/main/contractdocs/Docs/N00024-00-D-6000_Attach05-Award.pdf)

Award.pdf - [Similar pages](#)

[PDF] [THE DESIGN AND APPLICATION OF AN EXTENSIBLE OPERATING SYSTEM ...](#)

File Format: PDF/Adobe Acrobat

Field programmable gate **arrays**. 112. FIFO order, 127. Filter, active, 186. Filter **virtual**

**machine** instruc-. tions, 106-108. First class object, 21 ...

[www.cs.vu.nl/res/theses/doorn\\_thesis.pdf](http://www.cs.vu.nl/res/theses/doorn_thesis.pdf) - [Similar pages](#)

[All NetBSD Packages](#)

parrot-0.4.11.; (lang), **Virtual machine** made to run Perl 6 and other languages ..... (www),

Squid cache tool to list, extract or **purge** objects ...

<ftp://ftp.netbsd.org/pub/NetBSD/packages/pkgsrc/README-all.html> - [Similar pages](#)

[PDF] [Perl5 CPAN Module List](#)

File Format: PDF/Adobe Acrobat

Dir.: **Purge**. Rpdf. Delete files in directory based on timestamp. JV. File::Atomic ..... Perl

extension for the Parallel **Virtual Machine** (PVM) ...

[hp1.jonex.ne.jp/~nakajima.yasushi/modlist.pdf](http://hp1.jonex.ne.jp/~nakajima.yasushi/modlist.pdf) - [Similar pages](#)

[DOC] [Angol-magyar elektronikus informatikai szótár](#)

File Format: Microsoft Word

deallocate **array** – tömb felszabadítása | tömb felszámolása ..... JVM (Java **Virtual**

**Machine**) – Java virtuális gép | hatékony fordító a Java nyelvhez ...

[compalg.inf.elte.hu/~tony/Oktatas/Elek-konyvtar/Elek-sz%E1r-2007-M%E1jus12.doc](http://compalg.inf.elte.hu/~tony/Oktatas/Elek-konyvtar/Elek-sz%E1r-2007-M%E1jus12.doc) -

[Similar pages](#)

From pcoskren at bbn.com Tue Feb 1 07:38:26 2000 From: pcoskren at ...

The JVM is simply a **virtual machine**, that can run any number of types of languages .....

Combining mach's virtual **memory manager** [dynamically grows VM onto ...

[www.omnigroup.com/mailman/archive/macosx-dev/2000-February.txt](http://www.omnigroup.com/mailman/archive/macosx-dev/2000-February.txt) - 977k -

[Cached](#) - [Similar pages](#)

**A**

This **class loader** can be used to find class, resource and library handles ..... local **Virtual**

**Machine** (that is, the VM on which this check is performed). ...

[dcl.mathcs.emory.edu/rmix/doc/api/index-all.html](http://dcl.mathcs.emory.edu/rmix/doc/api/index-all.html) - [Similar pages](#)

[PDF] [Dictionary of Networking](#)

File Format: PDF/Adobe Acrobat

See expanded **memory manager**. emoticon A collection of text characters ..... Java **class**

**loader** transfers the bytecode to. the Java **Virtual Machine** (JVM), ...

[portal.aauj.edu/portal\\_resources/downloads/networking/dictionary\\_of\\_networking.pdf](http://portal.aauj.edu/portal_resources/downloads/networking/dictionary_of_networking.pdf) -

[Similar pages](#)

### G-Index (Java 2 Platform SE 5.0)

Class object for a proxy class given a **class loader** and an **array** of interfaces. ... if an immediate "**purge**" of the relations (look for the relations no ...  
java.sun.com/j2se/1.5.0/docs/api/index-files/index-7.html - [Similar pages](#)

### Alphabetical Index (GNU Classpath 0.95 Documentation)

Forces the layout manager to **purge** any cached information about the layout ..... Returns true if the **virtual machine** supports the boot classpath mechanism. ...  
developer.classpath.org/doc/alphaindex-12.html - [Similar pages](#)

1 2 **Next**

Try [Google Desktop](#): search your computer as easily as you search the web.

---

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

---

©2007 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)



[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [Gmail](#) [more ▾](#)

[Sign in](#)

Google

purge array memory manager reference "virtu:

Search

[Advanced Search](#)  
[Preferences](#)

**Web Results 1 - 10** of about **101** for **purge array memory manager reference "virtual machine" "class loader" "data stru**

[PS] [A Pure Reference Counting Garbage Collector](#)

File Format: Adobe PostScript - [View as Text](#)

We have implemented a very simple scheme as part of the **class loader**. ..... In Proceedings of International Workshop on **Memory Management**, H. Baker, ...  
[www.research.ibm.com/people/d/dfb/papers/Bacon03Pure.ps](http://www.research.ibm.com/people/d/dfb/papers/Bacon03Pure.ps) - [Similar pages](#)

[PS] [Java without the Coffee Breaks: A Nonintrusive Multiprocessor ...](#)

File Format: Adobe PostScript - [View as Text](#)

mined to be acyclic by the **class loader**. The **Purge** phase removes and frees objects in the root ..... Symposium on **Memory Management** (Mar. 1999). SIGPLAN ...  
[www.research.ibm.com/people/d/dfb/papers/Bacon01Java.ps](http://www.research.ibm.com/people/d/dfb/papers/Bacon01Java.ps) - [Similar pages](#)  
[ [More results from www.research.ibm.com](#) ]

[IBM - Fix list for WebSphere Application Server Version 5.1.1](#)

PK03077, In **memory to memory** mode, NullPointerExceptions are thrown by the session **manager** during invalidation processing. ...  
[www.ibm.com/support/docview.wss?rs=180&uid=swg27006879](http://www.ibm.com/support/docview.wss?rs=180&uid=swg27006879) - 424k - [Cached](#) - [Similar pages](#)

[IBM - Fix list for WebSphere Application Server Version 5.1.1](#)

This causes a **memory** leak. Systems **Management** Subsystem, PK31314 ..... mapped to StateConnectionException so connection pool **purge** policy is not enforced. ...  
[www-1.ibm.com/support/docview.wss?uid=swg27006879](http://www-1.ibm.com/support/docview.wss?uid=swg27006879) - 415k - [Cached](#) - [Similar pages](#)

[PDF] [Security, Caching, and Self-Management in Distributed Information ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

we assume that the code and the Java **virtual machine** (JVM) used to run .... The **class loader's** tasks are to load the bytecode of a class into **memory**, ...  
[tumb1.biblio.tu-muenchen.de/publ/diss/in/2005/seltzsam.pdf](http://tumb1.biblio.tu-muenchen.de/publ/diss/in/2005/seltzsam.pdf) - [Similar pages](#)

[PDF] [A Framework for Building Collaborative Applications](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

and for the first time it comes across the symbolic **reference** to. the class. Second. ,. s . It therefore calls on a **class loader** to load the definition of ...  
[www.cs.uta.fi/research/theses/masters/Nuckchady.pdf](http://www.cs.uta.fi/research/theses/masters/Nuckchady.pdf) - [Similar pages](#)

[PDF] [System i Performance Capabilities Reference Version 5 Release 4](#)

File Format: PDF/Adobe Acrobat

work **management** guide by observing/adjusting the **memory** in both the machine ..... if your application is using such a **class loader** then the time taken to ...  
[publib.boulder.ibm.com/infocenter/iseres/v5r4/topic/rzahx/sc410607.pdf](http://publib.boulder.ibm.com/infocenter/iseres/v5r4/topic/rzahx/sc410607.pdf) - [Similar pages](#)

[PDF] [System i Performance Capabilities Reference Version 5 Release 4](#)

File Format: PDF/Adobe Acrobat

work **management** guide by observing/adjusting the **memory** in both the .... 64-bit **Virtual Machine** (VM) or the recently released IBM Technology for Java, ...  
[publib.boulder.ibm.com/infocenter/iseres/v5r4/topic/books/sc410607.pdf](http://publib.boulder.ibm.com/infocenter/iseres/v5r4/topic/books/sc410607.pdf) - [Similar pages](#)

[PDF] [NOTE TO USERS](#)

File Format: PDF/Adobe Acrobat

The Simulation Engine was designed to be a **virtual machine** for building .... solution would be a dynamic **array** with **memory** checking. ...

[www.collectionscanada.ca/obj/s4/f2/dsk2/tape16/PQDD\\_0009/MQ33370.pdf](http://www.collectionscanada.ca/obj/s4/f2/dsk2/tape16/PQDD_0009/MQ33370.pdf) - [Similar pages](#)

[PDF] [IBM WebSphere Application Server for z/OS, Version 6.0.2: Tuning guide](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Related **reference**. "Tuning session **management**" on page 72. Base in-**memory** session pool size: The base in-**memory** session pool size number ...

<ftp://ftp.software.ibm.com/software/webserver/appserv/library/v60/BOS5J112.pdf> -

[Similar pages](#)

[1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) **Next**

Try [Google Desktop](#): search your computer as easily as you search the web.

---

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

---

©2007 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [Gmail](#) [more ▾](#)

[Sign in](#)

Google

purge array memory manager reference "virtu

Search

[Advanced Search](#)  
[Preferences](#)

**Web Results 11 - 20** of about **101** for **purge array memory manager reference "virtual machine" "class loader" "data st**

**[PDF] Java Dynamic Management Kit 5.1 Tutorial**

File Format: PDF/Adobe Acrobat

skeleton and its defined **management** interface a **reference** to the target object. ....

delegate, and will need to **purge** its MBeans whenever one is received. ...

java.sun.com/products/jdmk/docs/JDMK51TUTOR.pdf - [Similar pages](#)

**S-Index (Java 2 Platform SE 5.0)**

IOByteBuffer: Updates the **array reference** that will be returned by .... Locale: Sets the default locale for this instance of the Java **Virtual Machine**. ...

java.sun.com/j2se/1.5.0/docs/api/index-files/index-19.html - 977k - [Cached](#) - [Similar pages](#)

**[PDF] Sun Java Enterprise System Glossary**

File Format: PDF/Adobe Acrobat - [View as HTML](#)

A single **data structure** that contains domain-specific information for all the domains .....

low level, such as a **memory management**, or at a high level, ...

docs-pdf.sun.com/819-3875/819-3875.pdf - [Similar pages](#)

**[PDF] iSeries Performance Capabilities Reference Version 5 Release 3**

File Format: PDF/Adobe Acrobat

work **management** guide by observing/adjusting the **memory** in both the machine .....

dynamically by a user **class loader**, AND if it's likely that the JVM is ...

www-03.ibm.com/servers/eserver/iseries/perfmgmt/pdf/pcrmoct04.pdf - [Similar pages](#)

**IBM Globalization - Terminology - terms C and D**

Data that resides in cache **memory** is normally a copy of data that ..... (2) An element of **data structure** such as a file, an **array**, or an operand that is ...

www-306.ibm.com/software/globalization/terminology/cd.jsp - 852k -

[Cached](#) - [Similar pages](#)

**Pramati Server 4.1 MBean API Reference: Index**

This interface defines the **management** attributes/ operations of a CMP .....

JMSServerMBean: It returns the Total Free **Memory** in the **virtual machine** of the ...

www.pramati.com/docstore/1205009/javadoc/index-all.html - [Similar pages](#)

**[PDF] From File Pathnames To File Objects: An Approach to extending File ...**

File Format: PDF/Adobe Acrobat

A contiguous **array** must be allocated, i.e. no dynamic **memory management** and slots in the **array** are wasted, since collision minimisation ...

www.globis.ethz.ch/people/former/rivera/thesisRivera.pdf - [Similar pages](#)

**[PDF] Java Application Development for CICS**

File Format: PDF/Adobe Acrobat

automatic **memory management**, garbage collection, and other functions for the .... In this chapter we talk about Java **Virtual Machine** (JVM) support in CICS. ...

www.redbooks.ibm.com/redbooks/pdfs/sg245275.pdf - [Similar pages](#)

**All NetBSD Packages**

libmemmgr-1.04.; (devel), Simple **memory manager** library ..... p5-Heap-0.71.; (devel),

Perl collection of routines for managing a heap **data structure** ...

<ftp://ftp.netbsd.org/pub/NetBSD/packages/pkgsrc/README-all.html> - [Similar pages](#)

[PDF] **THE DESIGN AND APPLICATION OF AN EXTENSIBLE OPERATING SYSTEM ...**

File Format: PDF/Adobe Acrobat

The **memory management** unit (MMU) on the SPARCClassic is a standard. SPARC **reference** MMU with a 4KB page size. Each hardware context can address up ...

[www.cs.vu.nl/res/theses/doorn\\_thesis.pdf](http://www.cs.vu.nl/res/theses/doorn_thesis.pdf) - [Similar pages](#)

**[Previous](#)** [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) **[Next](#)**

---

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

---

©2007 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [Gmail](#) [more ▾](#)

[Sign in](#)

Google

purge array memory manager reference "virtu

Search

[Advanced Search](#)  
[Preferences](#)

Web Results 21 - 30 of about 101 for purge array memory manager reference "virtual machine" "class loader" "data st

### FreeBSD Ports Collection Index

exmars-0.01\_1 -- **Memory Array** Redcode Simulator, just like exhaust and pMARS .....

jabref-2.2\_1,1 -- A (BibTeX native) bibliographic **reference manager** ...

[www.freebsd.org/ports/master-index.html](http://www.freebsd.org/ports/master-index.html) - [Similar pages](#)

### [PDF] S - C S E N - A R - I A

File Format: PDF/Adobe Acrobat

The local resource **manager** controls the usage of all node-resident re-. sources such as network processors, link bandwidth, internal **memory** buff- ...

[e-collection.ethbib.ethz.ch/show?type=diss&nr=15372&part=fulltext](http://e-collection.ethbib.ethz.ch/show?type=diss&nr=15372&part=fulltext) - [Similar pages](#)

### [PDF] Performance and Tuning Handbook for WebSphere on z/OS

File Format: PDF/Adobe Acrobat

**Virtual Machine**" on page 191. Examine the real storage on z/OS. **Memory** paging ..... the production environment due to unnecessary loading on **class loader**. ...

[www.redbooks.ibm.com/redbooks/pdfs/sg247269.pdf](http://www.redbooks.ibm.com/redbooks/pdfs/sg247269.pdf) - [Similar pages](#)

### [PDF] Building AS/400 Applications with Java Version 2 - Includes ...

File Format: PDF/Adobe Acrobat

8.8.5 **PURGE** ..... of **memory**" error because of poor **memory management**. .....

Schematic of AS/400 Java **Virtual Machine** and AS/400 Developer Kit for Java ...

[reference.dexis.net/vajava/redbooks/sg242163.pdf](http://reference.dexis.net/vajava/redbooks/sg242163.pdf) - [Similar pages](#)

### [PDF] Using VisualAge for Java To Develop Domino Applications

File Format: PDF/Adobe Acrobat

thread-safe code, automatic **memory management**, and built-in networking. support. ....

the servlet **manager class loader** searches to find servlets and their ...

[katr.vtu.it/lotuseduca/pdfs/sg245424.pdf](http://katr.vtu.it/lotuseduca/pdfs/sg245424.pdf) - [Similar pages](#)

### FreeBSD Ports Collection Index

exmars-0.01\_1 -- **Memory Array** Redcode Simulator, just like exhaust and pMARS .....

jabref-2.1,1 -- A (BibTeX native) bibliographic **reference manager** ...

[www.ee.freebsd.org/ports/master-index.html](http://www.ee.freebsd.org/ports/master-index.html) - [Similar pages](#)

### FreeBSD Ports Collection Index

exmars-0.01\_1 -- **Memory Array** Redcode Simulator, just like exhaust and pMARS .....

jabref-2.2,1 -- A (BibTeX native) bibliographic **reference manager** ...

[www.freebsd.or.id/ports/master-index.html](http://www.freebsd.or.id/ports/master-index.html) - [Similar pages](#)

### [PDF] Luca Deri's PhD Thesis

File Format: PDF/Adobe Acrobat

pendent bytecode and then interpreted by a **virtual machine** (VM). The in- ..... are multithread-aware and handle **memory management**. In other words ...

[www.iam.unibe.ch/~scg/Archive/PhD/deri-phd.pdf](http://www.iam.unibe.ch/~scg/Archive/PhD/deri-phd.pdf) - [Similar pages](#)

### %PRODUCTNAME %PRODUCTVERSION [doc\_type] %PRODUCTNAME ...

(SNIA)The Sun StorEdge 6920 system uses an in-band **management** path between hosts and the storage **arrays** to transport both data and **management** traffic. ...

[glossaire.traduc.org/export.php?f=xml](http://glossaire.traduc.org/export.php?f=xml) - [Similar pages](#)

## Rejstřík kolekce portů FreeBSD

exmars-0.01\_1 - **Memory Array** Redcode Simulator, just like exhaust and pMARS .....

jabref-2.2\_1,1 - A (BibTeX native) bibliographic **reference manager** ...

www.freebsd.cz/cs/ports/master-index.html - Similar pages

**Previous** [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) **Next**

---

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

---

©2007 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)